

PAUL STRESING ASSOCIATES, INC.

ARCHITECTURE • SPACE PLANNING • INTERIOR DESIGN

E-mail: PSA@PaulStresingAssociates.com

14617 Main Street, Alachua, Florida 32615

Telephone (386) 462-6407

Paul R. Stresing, President
Certificate of Authorization No. AA-0003377
Florida Architectural License No. AR0013985

American Institute of Architects
National Council of Architectural
Registration Boards

ADDENDUM NO. 1

DATED February 10, 2026

THE DRAWINGS & PROJECT MANUAL for

RJE Renaissance Center Gymnasium Renovation Project – Phase III Starke, Florida

The above referenced drawings and project manual are here by modified, corrected, and / or supplemented as follows:

1. Find mandatory pre-bid sign-in sheet
2. Attached please find the Mandatory Pe-Bid minutes from February 4, 2026, at 2:00 pm.
3. **Project Manual Section 01026 Unit Pricing:**
 - A. At subsection 2.0 add the following subsection:
2.04 **Base Bid:** Contractor to include their bid 75'-0" of unit price No.1, 2, & 3 above. This unit price will be used to either add to or deduct from the actual quantities required.
4. **Project Manual Section 01042 Direct Purchase Procedures:**
 - A. Because of the aggressive construction schedule, delete this section in its entirety.
5. **Project Manual Section 01300 Submittals:**
 - A. At subsection 2.1 (C) at sentence opening add after Submittals shall be "electronically or"
 - B. At subsection 2.1 (E) add "ceramic tile"
 - C. At subsection 2.1 (I) add "Plumbing Fixtures"
6. **Project Manual Section 10810 Toilet Room Specialties:**
 - A. Add subsection 2.04 (E) after the words "wood blocking" add the following "where possible to"
7. **Drawing Sheet A.6 Building Sections:**
 - A. At Building Section B, add the following note: "All improvements except alternates 1 & 2 electrical are by owner outside of this projects scope-of-work."

- B. At Building Section A, add the following note: “ The only work in this section is the new door assembly into the new Janitor Closet & Equipment Storage Room.”
- 8. Drawing Sheet A.8 Demolition Floor Plan:**
- A. At Demolition Notes, delete reference to note #15, this door has been eliminated from the scope-of-work (see attached drawing sheet A.8).
 - B. During transition of electronic files drawing sheet A.8 inadvertently cut off the bottom 1” of the sheet. Sheet A.8 has been adjusted to show all Demolition & General Notes (see attached drawing sheet A.8).
 - C. At Demolition Notes #1 delete reference to “Removal of existing Sheetrock Ceiling and add in its place “Patch Existing Gyp Ceiling” (see attached drawing sheet A.8).
- 9. Drawing Sheet A.9 Proposed Floor Plan:**
- A. Delete reference to note #11, this door was eliminated (however stray note remained it is to be disregarded). Disregard Construction Note #11.
- 10. Drawing Sheet A.11 Bathroom Elevations:**
- A. At all interior elevations change 12x12 CT wall tile to 12x24 vertical pattern and eliminate the accent tile band.”

END OF ADDENDUM NO. 1

TOTAL NUMBER OF PAGES WITH ATTACHMENTS = 9

(If any pages of this Addendum are missing or illegible, it is the Contractor’s responsibility to contact Paul Stresing Associates, Inc. (386- 462-6407) for replacement pages.

RJE Renaissance Center Gymnasium Renovation Project – Phase III
Mandatory Pre-Bid Meeting – Onsite (1080 Pine Street, Starke, FL 32091)
February 4, 2026 @ 2:00 PM

2:01 PM

Name	Company	Email	Phone	Mailing Address
Alicia McMillian	CCBC	aliamcmillian@yahoo.com	904-966-7100	Rt 2 Box 1535, Starke
Robert Banks	CCBC	ccbc-inc@yahoo.com	904-964-5946	1108 Calary St. Starke
Christine Goodland	GYS Strategic Solutions	ckgoodland2@gmail.com	239-257-2292	351 SW Daytime Lane Lake City, FL
Nicole Borden	ceBorden	ccborden@ceBorden.com	904-354-3456	1019 Roselle St Jax, FL 32204
Keith Thompson	ACE	keith@acecontractinginc.com	352-372-9878	3035 NE 21st Way #6 Gainesville, FL 32609
Becky May	City of Starke	bmay@cityofstarke.org	904-977-9967	209 Thompson St Starke, FL 32091
Otto HERRERA	B-Koi Inc.	estimates@B-Koi.com	321-802-6768	2725 CENTER PLACE MELBOURNE FL 32940
Andy EASTON	AEA - grant Adm	ANDYEASTON2@MSN.COM	850-445-7829	203 Ridgeland Rd TALLAHASSEE, FL 32312
Glenda Ruise	CCBC	glenda_ruise@yahoo.com	904-769-1691	PO. Box 1181, Starke, FL 32091
Arielle Pennington	E. Vaughn Rivers. Inc	Arielle.Pennington@RiversConstruction.com	904-264-0173	1882 Bellair Blvd., Orange Park
Paul Stresing	PSA Inc	psae.paulstresingassociates.com	352-218-0476	1426 S. Main St. Alaska.

RJE Renaissance Center Gymnasium Renovation Project – Phase III
Mandatory Pre-Bid Meeting – Onsite (1080 Pine Street, Starke, FL 32091)
February 4, 2026 @ 2:00 PM

Name	Company	Email	Phone	Mailing Address
Timothy Chrony	E. Vaughan Rivers, Inc.	time@riversconstruction.com	904-264-0123	1882 Bellair Blvd, Orange Park
Jason Shine	Shine & Company Inc.	bids@shinecompanyinc.com	386-454-2634	High Springs, FL 32643
Chris Pickens	Gainesville Commercial Contractors	Chris@paynegrp.com	352-554-0646	25687 W US Hwy 27, Gainesville, FL 32653
MARK WILLIAMS	M + R CONSTRUCTION	MARK.MR.FABE@MSN.COM	352-219-0339	P.O. Box 146, Starke, FL 32091
A. Prince Lee	Elevated Design	APLee@Elevateddc.com	904-887-5963	2508 SW 35th Pl. D13, Gainesville, FL
Michael Beard	ELEVATED DESIGN	mbeard@elevateddc.com	352-256-0424	8209 SW 1st PL, Gainesville, FL 32607

PAUL STRESING ASSOCIATES, INC.

ARCHITECTURE ■ SPACE PLANNING ■ INTERIOR DESIGN

Paul R. Stresing, President
Certificate of Authorization No. AA-0003377
Florida Architectural License No. AR0013985

American Institute of Architects
National Council of Architectural
Registration Boards

RJE CENTER GYMNASIUM RESTROOM MODERNIZATION MANDATORY PRE-BID CONFERENCE – FEBRUARY 4, 2026, 2:00 PM BID NO. 2026-01 CDBG GRANT 22 CV-S47

The following items were discussed during the above-referenced mandatory pre-bid.

- Paul thanked everyone for their interest in the project and asked everyone to please sign in with Becky who had a formal sign in sheet. If your company is not represented Becky cannot accept your bid proposal.
- Paul provided a simplified timeline.
 - Mandatory Pre-bid – February 4, 2026
 - Last day for questions – February 6, 2026
 - Last addenda issued – February 10, 2026
 - Bids due (hard copy) to Becky – February 17, 2026
- Paul introduced Becky, City of Starke/Andy Easton, Grant Administrator, Alicia McMillian representing Concerned Citizens group.
- Paul gave a brief history of the facility.

Building was built in 1965 and served as a K-12 Community School that was turned over to the local community in ±2012 to serve as a local Community Center and a recent CBDG-CV grant was obtained and phased improvement has been accepted by the State.

Phase I	Structural stabilization and re-roofing - Completed
Phase II	Asbestos and lead paint abatement - Completed
Phase III	ADA and public restroom modernization/basic Life Safety This Scope-of-Work
Phase IV	Electrical/Mechanical - Future
Phase V	Interior finishes and sports equipment modernization - Future

- This phase III work effort has a base bid of Restroom Modernization and Family Unisex ADA Restroom to accommodate the buildings handicap accessibility requirements, the balance of Public Restrooms due to structural limitations will not have full handicap accessibility and will be remodeled with new plumbing fixtures, partitions, utilities and finishes and door assemblies.
- Concerned Citizens will be pursuing additional funding for Phase IV & V efforts.
- Paul advised that the Grant is time sensitive. Andy explained the timeline and the June 30, 2026 requirement to have final pay application & paperwork submitted to the

State. Paul mentioned that invoicing needs to be submitted to the state and since there will be a slight delay in issuing payment the contractor can progress the project from Substantial to Final within this time and for final minor cleanup. Paul said we all know its an aggressive schedule and the bids will reflect that, and the Owner realizes that some work will/could require weekend work efforts.

- Paul pointed out that the Concerned Citizens will address all the interior improvements (painting, replacement of doors outside the restroom, improvements to sports equipment and wall pads, sports flooring and bleachers). So, any reference to their replacement is to be disregarded for this Scope-of-Work. This project is Restrooms as a base bid and two additive alternates for Life Safety.
- Paul pointed out that parking and lay-down areas are easily defined and allocated to separate public safety from construction activities.
- Paul took a minute to explain the formatting of the drawings and project manual. The drawings include multiple sheets of photographic documentation with a floor plan showing exact locations of each photograph. The reason for including these photographs is to allow interested parties to view images of the facility and scope-of-work areas while not on site and where they can share them with subcontractors, vendors and staff. Paul advised that each contractor is encouraged to take whatever additional photographs they feel necessary.
- Paul explained in more detail the proposed work to be done in each of the existing male and female locker and shower rooms eliminating the shower areas and repurposing them.

Female Locker Room:

- Toilet room area is to be converted into a Unisex/Family ADA accessible restroom infilling the hall upper windows and opening repositioned.
- The existing shower area will have CMU divider partitions removed, opening up the shower area into a three-stall toilet room with a new framed plumbing chase wall common to the gym wall to run new plumbing.
- Paul said he wasn't sure if ceramic tile on the floor with sanitary base is faster and more economical than a poured epoxy floor with integral 6" base but he has base bid as a poured quartz epoxy floor and base. After the project bids we can entertain non-slip ceramic tile in lieu of poured quartz epoxy, we are exploring the speed of installation or any possible simplification in the installation.

Male Locker Room:

- The existing shower room opening is to be infilled and the shower space repurposed into a small janitors closet with 1 hour rating and an equipment storage room, both opening up to the gym area.
- West wall of the locker area will receive a new wet wall chase and new toilet stalls.

- The urinal area is to be modernized as shown in drawings and a new urinal will replace the toilet and toilet stall, the water heater moved to the Janitorial closet and the newly abandoned corner will receive a counter with lavatories.
 - Same finish notes as indicated in the female restroom.
- Paul again discussed the aggressive schedule and how the design team can assist if the Contractor can confirm they bid per plans and specs. Some of the noncritical shop drawings waived or expedited if needed. Paul pointed out that the revised scope of work was established to eliminate any long lead ordering items because of the aggressive schedule, demo, doors, ceramic tile, epoxy floor, plumbing fixtures and toilet room specialties, none are long lead items.
 - Becky and Andy will reach out to the State and confirm critical deadlines.
 - Paul mentioned that the project doesn't require a full-time Superintendent. However, the GC will be responsible for all their subcontractors.
 - The City will also cooperate with plan review. Paul asked Becky if the Building Department would be willing to conduct their plan review prior to the Contractor is issued a NTP to try to give the Contractor a week or two back to his construction duration because of the Grant sensitive aggressive schedule. Becky said she would discuss that with them, but it is certainly worth pursuing. Paul mentioned that it would make sense to wait for the Q 7 A result in an addenda which will answer or clarify Contractor questions.
 - Becky said she will explain to the City Manager/Building Department the importance of expediting the approval and NTP process.

Questions and Answers:

- 1) Is a bond required? Yes, refer to the Project Manual.
 - 2) Is the building completely abated? Yes, the City can provide certification to the successful low qualified Contractor.
 - 3) What is the anticipated budget? Roughly \$450,000 and the Concerned Citizen organization will be pursuing additional funds to help complete the total remodel and renovations. Paul mentioned that the Concerned Citizens organization has been awarded ±\$900,000 for the renovation of adjacent classroom buildings 1, 3 and the Dining Hall and PSA is submitting bid documents to the State for approval. This projects funding engine is through State appropriations, not a Federal Grant Program.
 - 4) Can you take a minute and explain the alternates?
 - Add Alt No. 1 - The replacement of the high bay HID fixtures with emergency efficient LED sports light fixtures.
 - Add Alt No. 2 - The addition of illuminated exit signage directly over the primary exit doors. Paul referred everyone to the MEP drawings, section 101100 Alternates and section 01026 Unit Pricing for Utility Replacement.
- Paul reminded everyone that all questions are to be submitted to Becky in writing and no verbal discussions will be recognized, it must be in writing and in an Addenda.


PRE-BID MEETING CONCLUDED

Refer to attached sign-in sheet)

ANY MODIFICATIONS TO THESE PLANS OR REUSE OF THESE PLANS MUST BE APPROVED BY AND SIGNED BY THE ARCHITECT.

GENERAL NOTES:

- 1. THIS DRAWING HAS PRODUCED WITH SURVEY AND SITE INFORMATION PRODUCED BY THE OWNER.
2. THIS INTENT OF THIS PHASE 3 SCOPE-OF-WORK WILL MODERNIZE AND UP-DATE THE RESTROOM AREAS TO ACCOMMODATE HANDICAP ACCESS BUILDING REQUIREMENTS WITH THE FOLLOWING IMPROVEMENTS:
a) CONVERT EXISTING FEMALE RESTROOM INTO A UNISEX ADA RESTROOM EASILY ACCESSIBLE BY THE PUBLIC.
b) REMODEL THE EXISTING FEMALE LOCKER ROOM ADDING LAVATORY AND CONVERTING THE EXISTING SHOWER ROOM INTO THREE TOILET STALLS.
c) MALE LOCKER ROOM TO BE CONVERTED INTO TOILET ROOM W/ 3 STALLS AND THE OLD WATER HEATER REMOVED AND REPLACED WITH (2) LAVATORIES.
d) THE EXISTING MALE SHOWER ROOM CONVERTED INTO A JANITORS CLOSET AND ATHLETIC STORAGE.
e) ALL FLOOR AREAS TO RECEIVE NEW FLOORING (SEE SCHEDULE) AND WALLS AND CEILING PATCHED AND PAINTED NEW PLUMBING CHASE WALLS TO BE LT. GA. MTL. FRAME W/ CEMENTITIOUS WALL BOARD AND CERAMIC WALL TILE AND PAINT.
3. THE CONTRACTOR IS TO FIELD VERIFY AND FAMILIARIZE THEMSELVES WITH THE LOCATION OF ALL UNDERGROUND AND OVERHEAD UTILITIES AND SERVICE PRIOR TO COMMENCEMENT OF WORK. IF ANY DEVIATIONS TO INFORMATION PROVIDED IN THE AS-BUILT DRAWINGS OR AS SHOWN THESE DOCUMENTS IS ENCOUNTERED, THE CONTRACTOR IS TO CONTACT THE ARCHITECT AND OWNER IMMEDIATELY FOR DIRECTION.
4. ALL UTILITY CONSTRUCTION MUST MEET STANDARDS OF THE CITY OF STARKE AND OF BRADFORD COUNTY.
5. THE CONTRACTOR IS TO COORDINATE HIS SCHEDULE WITH CRITICAL TESTING DATES, SCHOOL STARTING AND FINISH DATES, WITH HIS SUBCONTRACTORS TO INSURE THAT ALL TRAFFIC DISRUPTIVE NOISE AND VIBRATIONS ARE CONDUCTED AT SCHEDULED TIMES. THESE DATES ARE TO BE ESTABLISHED DURING THE PRE-CONSTRUCTION MEETING.
6. ALL LIFE SAFETY SYSTEMS ARE TO REMAIN FULLY FUNCTIONAL AT ALL TIMES WHEN THE FACILITY IS OCCUPIED BY THE STUDENTS.
7. FENCED AREA FOR CONSTRUCTION STAGING SHALL BE DISCUSSED AND DESIGNATED AT THE PRE-CONSTRUCTION MEETING.
8. SITE WATER SERVICE IS EXISTING AND DOCUMENTED IN THE PLUMBING DRAWINGS.
9. IT IS THE CONTRACTOR'S SOLE RESPONSIBILITY TO COORDINATE THEIR WORK WITH THE FIRE DEPARTMENT, AND THE AUTHORITY HAVING JURISDICTION. THE CONTRACTOR IS TO PROVIDE FIRE SAFETY PLANS FOR REVIEW PER THE MINIMUM CODE REQUIREMENTS OF THE 2022 EDITION OF THE NFPA 10 FIRE CODE.
10. IT IS THE CONTRACTOR'S RESPONSIBILITY TO COORDINATE WITH THE FIRE DEPARTMENT HAVING JURISDICTION TO MAINTAIN ACCESS FOR FIRE FIGHTING EQUIPMENT WHEN LOCATING THEIR CONSTRUCTION EQUIPMENT & STAGING AREAS & TO MAINTAIN ACCESS TO FIRE HYDRANT LOCATIONS & OTHER WATER SUPPLIES FOR FIRE FIGHTING OPERATIONS (FBC-B 107.3.5).



HATCH AREA INDICATES AREA NOT IN CONTRACT (N.I.C.)
CONCRETE SIDEWALK TO REMAIN UNDISTURBED
SCOPE-OF-WORK THIS AREA
HATCH AREA INDICATES AREA NOT IN CONTRACT (N.I.C.)
SAND AND PREP FOR NEW PAINT
EXISTING PAVED DRIVE TO REMAIN UNDISTURBED (SEE SITE PLAN FOR CONTINUATION)

DEMOLITION FLOOR PLAN

3/16" = 1'-0"



DEMOLITION NOTES

- 1. REMOVE ALL CEILING MOUNTED EQUIPMENT (INCLUDING BUT NOT LIMITED TO W/ FLUORESCENT LIGHT FIXTURES, MECHANICAL EQUIPMENT, ETC.). COORD W/ ELECTRICAL DRAWINGS. PATCH EXISTING GYPSBOARD CEILING & PREPARE TO INSTALL NEW 1/2" GYPSBOARD CEILING WITH LEVEL 4 SMOOTH FINISH.
2. PREP EXIST FLOORING AND BASE. NOTE EXISTING ABATEMENT HAS REMOVED THE EXISTING VCT FLOORING. PREPARE EXPOSED CONC SLAB AND WALL BASE AS NEEDED TO RECEIVE NEW QUARTZ POURED EPOXY FLOORING AND BASE (SEE ROOM FINISH SCHEDULE FOR NEW FINISHES).
3. WATER HEATER TO BE REMOVED AND CAP ALL LINES (COORDINATE WITH PLUMBING), RELOCATE TO NEW JANITORIAL CLOSET.
4. CAREFULLY & NEATLY SAW CUT & REMOVE A 3'-4" X 7'-4" PORTION OF THE CMU WALL TO ACCOMMODATE ACCESS BETWEEN THE VESTIBULE AND THE RENOVATED MALE RESTROOM. ONCE DETS 1 & 2 ON DWG SHEET A.13.1 FOR HEADER CONDITION HAS BEEN SUCCESSFULLY COMPLETED, PATCH ALL EXPOSED SURFACES AS REQ'D TO MATCH EXIST ADJACENT SURFACES & PREPARE TO RECEIVE NEW FINISHES. OWNER MAY ELECT TO COVER NEW LINTEL ANGLE W/ SHEETROCK TO DRESS OUT. (SEE RENOVATED FLOOR PLAN AND ROOM FINISH SCHEDULE FOR NEW FINISHES).
5. CAREFULLY & NEATLY SAW CUT & REMOVE A 3'-4" X 7'-4" PORTION OF THE CMU WALL TO ACCOMMODATE PROPOSED H. 11 DOOR FRAME, DOOR & MISC. INCIDENTALS. ONCE DETS 1 & 2 ON DWG SHEET A.13.1 FOR HEADER CONDITION HAVE BEEN SUCCESSFULLY COMPLETED, PATCH ALL EXPOSED SURFACES AS REQ'D TO MATCH EXIST ADJACENT SURFACES & PREPARE TO RECEIVE NEW FINISHES. NEW LINTEL ANGLE TO BE COVERED W/ SHEETROCK TO DRESS OUT. (SEE RENOVATED FLOOR PLAN).
6. DASHED LINES INDICATE DOOR, FRAME & MISCELLANEOUS INCIDENTALS TO BE REMOVED IN ITS ENTIRETY - PREPARE TO RECEIVE NEW HOLLOW METAL FRAMED WOOD DOOR (SEE RENOVATED PLAN).
7. DASHED LINES INDICATE EXISTING PLUMBING FIXTURES AND TOILET PARTITION TO BE REMOVED IN THEIR ENTIRETY - CAP ALL LINES BELOW SLAB - PREPARE EXPOSED SURFACES TO RECEIVE NEW FINISHES, NEW PLUMBING FIXTURES, NEW TOILET PARTITIONS, AND NEW WALL MOUNTED EQUIPMENT (SEE RENOVATED FLOOR PLAN).
8. CAREFULLY AND NEATLY SAW CUT & REMOVE EXISTING CMU PARTITION WALL AND ASSOCIATED PLUMBING - PREPARE EXPOSED SURFACES TO RECEIVE NEW FINISHES (SEE RENOVATED FLOOR PLAN).
9. CAREFULLY & NEATLY SAW CUT & REMOVE EXIST CURB PREPARE OPENING TO RECEIVE NEW WALL INFILL (SEE RENOV PLAN).
10. HOLLOW METAL FRAMED METAL DOOR & MISC. INCIDENTALS TO BE REMOVED IN THEIR ENTIRETY. PREPARE OPENING TO RECEIVE NEW ALUMINUM STOREFRONT FRAMED DOOR W/ PANIC HARDWARE (SEE RENOVATED FLOOR PLAN & DOOR SCHEDULE).
11. CAREFULLY AND NEATLY SAW CUT & REMOVE EXISTING CMU SHOWER PARTITION WALL AND ASSOCIATED PLUMBING - PREPARE EXPOSED SURFACES TO RECEIVE NEW FINISHES (SEE RENOVATED FLOOR PLAN).
12. DASHED LINES INDICATE WINDOW UNIT ABOVE TO BE REMOVED IN ITS ENTIRETY. PREPARE A PORTION OF THE OPENING TO RECEIVE NEW METAL STUD FRAMED INFILL W/ 5/8" IMPACT RESISTANT SHEETROCK WITH LEVEL 4 SMOOTH FINISH. A PORTION OF THE WALL BELOW THE WINDOW OPENING IS TO BE CAREFULLY & NEATLY SAW CUT & REMOVED. ONCE REMOVED, TO ACCOMMODATE A NEW ALUMINUM STOREFRONT FRAMED DOOR W/ CLERESTORY PANEL ABOVE AS ILLUSTRATED IN FRAME TYPE "3" ON DETAIL 2/A.13 (FIELD VERIFY EXISTING ROUGH OPENING AND ADJUST AS REQUIRED).
13. DASHED LINES INDICATE WINDOW UNIT ABOVE TO BE REMOVED IN ITS ENTIRETY. PREPARE A PORTION OF THE OPENING TO RECEIVE NEW METAL STUD FRAMED INFILL W/ 5/8" IMPACT RESISTANT SHEETROCK WITH LEVEL 4 SMOOTH FINISH. CAREFULLY AND NEATLY REMOVE EXISTING WOOD FRAMED DOOR BELOW EXISTING ALUMINUM FRAMED WINDOW ABOVE. PREPARE OPENING TO ACCOMMODATE A NEW ALUMINUM STOREFRONT FRAMED DOOR W/ CLERESTORY PANEL ABOVE, AS ILLUSTRATED IN FRAME TYPE "2" ON DETAIL 2/A.13 (FIELD VERIFY EXISTING ROUGH OPENING AND ADJUST AS REQUIRED).
14. CAREFULLY AND NEATLY SAW CUT REMOVE 8" CMU WALL ASSEMBLY AS INDICATED BY DASHED LINES. PATCH AND PREPARE EXPOSED SURFACES AS REQUIRED FOR NEW FINISHES (SEE RENOVATED FLOOR PLAN AND RENOVATED REFLECTED CEILING PLAN AND ROOM FINISH SCHEDULE).
15. CAREFULLY & NEATLY SAW CUT & REMOVE A PORTION OF THE ALUMINUM FRAMED WINDOW (SEE FRAME TYPE "1" ON DETAIL 2/A.13). ONCE REMOVED, CAREFULLY AND NEATLY SAW CUT AND REMOVE A PORTION OF THE CMU AND BRICK VENEER MASONRY WALL BELOW AS REQUIRED TO ACCOMMODATE A NEW ALUMINUM STOREFRONT FRAMED DOOR W/ CLERESTORY PANEL ABOVE.
16. CAREFULLY AND NEATLY REMOVE HOLLOW METAL FRAME, WOOD DOOR, AND MISCELLANEOUS INCIDENTALS. PATCH AND PREPARE ROUGH OPENING FOR NEW 8" CMU INFILL AS ILLUSTRATED IN THE RENOVATED FLOOR PLAN.
17. EXISTING ELECTRICAL PANEL NOT TO BE DISTURBED IN THIS PHASE, FUTURE PHASE WILL REMOVE AND REPLACE.
18. REMOVE RAISED SLAB AT WALL URINAL AND RE-POUR / PATCH AS REQUIRED TO RECEIVE NEW POURED QUARTZ EPOXY FLOORING.
19. EXISTING WATER COOLER TO REMAIN.

GENERAL NOTES:

- 1. IT SHOULD BE NOTED THAT EVERY REASONABLE EFFORT HAS BEEN TAKEN TO DOCUMENT EXISTING CONDITIONS AND THAT PHOTOGRAPHIC DOCUMENTATION HAS BEEN INCLUDED IN THESE DOCUMENTS. IT IS THE CONTRACTOR'S SOLE RESPONSIBILITY TO TOUR THE FACILITY & FAMILIARIZING THEMSELVES WITH ALL SITE CONDITIONS TO ELIMINATE CLAIMS OF UNFORESEEN.
2. EXISTING CONDITIONS ARE ASSUMED & FIELD CONDITIONS MAY DIFFER; CONTRACTOR RESPONSIBLE FOR FIELD VERIFICATION & REPORTING ANY DISCREPANCIES TO THE OWNER & ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. THE ELECTRICAL CONTRACTOR IS TO FIELD VERIFY LOCATION OF ALL UNDERGROUND AND OVERHEAD UTILITIES AND SERVICES PRIOR TO COMMENCEMENT OF WORK. IF ANY DEVIATIONS TO INFORMATION SHOWN IS ENCOUNTERED, CONTRACTOR IS TO CONTACT THE ARCH. AND OWNER IMMEDIATELY FOR DIRECTION.
4. CONTRACTOR IS RESPONSIBLE FOR THE REPAIR OF ANY AND ALL AREAS DISTURBED AS A RESULT OF THE NEW CONSTRUCTION AS DESCRIBED IN THE SCOPE OF WORK AND IS TO RESTORE AFFECTED AREAS TO CONDITION SIMILAR TO WHICH WAS PRESENT PRIOR TO CONSTRUCTION.
5. ANY INTERRUPTION OF THE EXISTG. SERVICES IS TO BE COORDINATED WITH THE FACILITIES DIRECTOR 50 AS TO MINIMIZE INCONVENIENCES.
6. THE CONTRACTOR IS TO COORDINATE HIS SCHEDULE WITH THEIR SUBCONTRACTORS TO INSURE THAT ALL TRAFFIC DISRUPTIVE NOISE AND VIBRATIONS ARE CONDUCTED AT SCHEDULED TIMES.
7. ALL LIFE SAFETY SYSTEMS ARE TO REMAIN FULLY FUNCTIONAL AT ALL TIMES WHEN THE FACILITY IS OCCUPIED.

PAUL STRESING ASSOCIATES, INC.
14617 MAIN STREET
ALACHUA, FLORIDA 32615
E-MAIL: ps@paulstresingassociates.com
REGISTRATION NO. AR0013985 - CA, NC, AA0003177
R.J.E. RENAISSANCE CENTER
PHASE-III MODERNIZATION
of the EXISTING GYMNASIUM
CITY OF STARKE, FLORIDA
REV. #: DATE:
REVISIONS ITEM:
ARCHITECT'S SEAL
LIC. NO. AR0013985
SHEET NO.
A.8